



The new generation...

snack master range



STAR LINE

*The Specialist
in Conveyors*



**StarLine
Catering
Equipment**

CE accredited

N2254



Designed to maximise output & profits!

The new generation...

snackmaster**15**

**15amp
unit**



70mm head clearance for improved 15 amp performance

Ideal for intermittent or prolonged use

Super-efficient individual controls for top/bottom elements and variable speed

Inbuilt fan to protect controls from heat transfer from oven

Incaloy elements

Quality 304 stainless steel

This unit + Your creativity

Picture shown is a double deck Snack Master 15

snackmaster**20**

Ideal for intermittent or prolonged use

Super-efficient individual controls for top/bottom elements and variable speed

Inbuilt fan to protect controls and assist performance

Incaloy elements

Quality 304 stainless steel

Able to be double decked

**20amp
unit**



100mm clearance

Conveyors reduce food wastage to almost zero

Manual controls

Designed to maximise



snackmaster25



Longer and wider
cooking chamber
for more output

100mm clearance

Removable
head to make
cleaning easy

Infrared & fan-force
technology

Conveyors reduce food
wastage to almost zero

New touchpad controls for
set-and-forget control system

activity = **NEW
fine-tuned
menu!**

snackmaster30



**The largest unit
in the family
which
equates to
increased
output and
increased profit!**

Removable head to
make cleaning easy



Features
infra-red, fan-forced,
pulse-power technology.
**THE VERY BEST OF
BOTH WORLDS!**

Largest chamber
100mm clearance
+ 100mm wider than
SnackMaster 25!

New touchpad controls for
set-and-forget control system



Quality 304 stainless steel
Incaloy heavy duty elements
Belt extension for easy loading
Ideal for intermittent or prolonged use
Inbuilt fan to protect controls from heat transfer from oven
Super-efficient individual controls for top/bottom elements and variable speed

ise output & profits!



The new generation...

snackmaster range



MODEL	S15	S20	S25	S30
A	820mm	910mm	1200mm	1200mm
B – Feed In Side	200mm	200mm	300mm	300mm
C – Feed Out Ramp	200mm	200mm	300mm	300mm
D	500mm	400mm	510mm	610mm
E	360mm	430mm	470mm	470mm
E – Double Deck	660mm	930mm	970mm	970mm
F – Oven Chamber Width	310mm	310mm	380mm	485mm
Oven Chamber Length	420mm	500mm	600mm	600mm
Oven Head Clearance	70mm	100mm	100mm	100mm
Amps	15	20	25	30
Phase	Single	Single	Single	Single
kW	3.6	4.8	6	7

**StarLine
Catering
Equipment**



J&D
IMPORTS AND EXPORTS
Agents For Starline
Ph:0418535170

Distributed by



StarLine retains the right to change products without notice.
Printed May 2010.

Designed to maximise output & profits!